

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
3502/SB	2.40	0.25 & 0.3	60 NGP	
1861b/SW	32 / 33	0.2 / 0.3	.	Split die
1111/283SW	28.00	0.37	.	
212/SB	24.00	0.38	70	
851/SB	35.00	0.40	70	
784/SB	0.50	0.50	60	
2850/SB	2.50	0.50	60	
2931/SB	12.00	0.50	40	
1747/SB	15.00	0.50	60	
917/SW	17.50	0.50	75	
798/SB	25.00	0.50	60 L3	
2221/SB	36.00	0.50	50	
69/SW SPLIT DIE	31.00	0.60	65	
941/SB	11.50	0.64	60	
642/SB	21.50	0.70	50	
1044/SB	36.00	0.70	60	
899/SW	113.00	0.70	60	
1723/SB	40.00	0.75	80	
1830/SB	43.00	0.75	80	
748/SW	106.00	0.75	60	
1316/SW	200.00	0.75	.	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
347/SB	10.00	0.80	40	
76/SW SPLIT DIE	14.00	0.80	70	
302/SB	14.00	0.80	60	
1318/SB	16.00	0.80	30	
1151/SB	20.00	0.80	80	
93/SW SPLIT DIE	20.00	0.80	70	
1254/SB	20.50	0.80	45	
91/SW SPLIT DIE	21.00	0.80	70	
1905/SW	22.00	0.80	40	
720/SB	25.00	0.80	60 L3	
678/SB	26.00	0.80	50	
75/SW SPLIT DIE	27.00	0.80	65	
692/SW	28.00	0.80	80	
1719/SB	33.00	0.80	35	
1718/SB	40.00	0.80	35	
297/SW	50.00	0.80	65	
1864/SW	140.00	0.8 / 1.0	50 NGP	
962/SB	20.00	0.84	60	
1876/SW	24.00	0.85	55	
1865/SB	36.00	0.85	60	
1446/SB	40.00	0.85	35	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
184/SB	8.00	0.86	80	
185/SB	12.70	0.86	80	
1604/SB	8.00	0.90	60	
1789/SB	12.00	0.90	70	
2318/SB	1.00	1.00	80	
3221/SB	3.80	1.00	60	
2245/SB	10.00	1.00	15	
2884/SB	10.00	1.00	60	
2169/SB	12.00	1.00	40	
169/SB	12.00	1.00	60	
1203/SB	14.00	1.00	60	
870/SB	16.00	1.00	60	
1287/SB	17.00	1.00	40	
1427/SB	17.00	1.00	55	
836/SB	18.00	1.00	60	
722/SB	19.00	1.00	30	
556/SB	20.00	1.00	60	
2721/SB	20.00	1.00	40	
1518/SW	21.00	1.00	50	
852/SB	23.00	1.00	60	
927/SB	25.00	1.00	FLUORO FSE F540	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1178/SB	25.00	1.00	60	
3090/SB	27.00	1.00	80	
757/SB	30.00	1.00	50	
661/SB	32.00	1.00	60 L3	
2892/SB	36.00	1.00	40	
1058/SW	37.00	1.00	65	
1068/SB	39.00	1.00	60	
76/SB	40.00	1.00	60 L3	
1221/SB	45.00	1.00	60	
1069/SB	47.00	1.00	60	
79/SW SPLIT DIE	48.00	1.00	50	
1136/SW	55.00	1.00	65	
1634/SW	56.00	1.00	60	
1634/SW	56 / 57	1.00	.	
1518/SW	21.00	1.00	50	
1524/SB	21.00	1.00	55	
1393/SB	39.50	1.00	35	
1768/SB	39.50	1.00	40	
1804/SB	48.00	1.00	60	
1904/SW	13.00	1.10	40	
1352/SB	21.20	1.10	80	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1614/SB	26.00	1.10	50	
1159/SW	94 / 95	1.10	.	
2190/SB	14.00	1.14	70	
378/SB	19.00	1.16	40	
924/SB	38.00	1.20	80	
103/SB	60.00	1.20	50	
1251/SB	110.00	1.20	40	
765/SB	30.00	1.25	50	
1509/SB	35.00	1.25	50	
2263/SB	41.00	1.25	70	
1045/SB	4.10	1.30	60	
78/SW SPLIT DIE	16.00	1.30	50	
3254/SB	2.20	1.50	70	
3002/SB	3.00	1.50	60	
2075/SB	10.00	1.50	SIL24 SPONGE	
709/SB	12.00	1.50	60	
2321/SB	13.00	1.50	60	
463/SB	14.00	1.50	60	
3298/SB	20.00	1.50	40	
1796/SB	20.00	1.50	60	
2617/SB	21.00	1.50	30	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
918/1788/SB	22.00	1.50	60	
1197/SB	25.00	1.50	80	
1558/SB	25.00	1.50	60	
563/SB	26.00	1.50	40	
560/SB	38.00	1.50	60	
427/SB	38.00	1.50	70	
727/SB	40.00	1.50	50	
82/SW SPLIT DIE	43.00	1.50	50	
1396/SB	46.50	1.50	60	
768/SB	50.00	1.50	50	
1424/SB	50.00	1.50	50	
3236/SB	50.00	1.50	60 met det	
1856/SB	65.00	1.50	55	
1094/SB	66.00	1.50	65	
1975/SB	76.00	1.50	70	
967/SB	89.00	1.50	60	
1918/SW	90.00	1.50	40	
2073/SB	90.00	1.50	60	
1915/SW	95.00	1.50	55	
1125/SB	53.75	1.50	70	
1546/SW	100.00	1.50	.	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
936/SB	30.00	1.52	60	
803/SB	9.50	1.60	60	
256/SB	12.70	1.60	50	
45/SB	28.50	1.60	60 L3	
275/SB	38.00	1.60	S30/50	
284/SB	40.00	1.60	S30/50	
279/SB	45.00	1.60	60	
315/SB	45.00	1.60	60	
414/SW	50.00	1.60	60	
343/SB	50.00	1.60	60	
389/SB	50.00	1.60	50 L2	
1525/SB	50.00	1.60	55	
125/SB	56.00	1.60	70	
1299/SB	70.00	1.60	50	
980/SB	70.00	1.60	60	
2091/SB	18.00	1.70	60	
1225/SB	25.00	1.70	70	
3249/SB	9.53	8.175	60	
1308/SB	61.00	1.80	55	
2157/SB	2.00	2.00	50	
203/SB	2.00	2.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
2662/SB	2.00	2.00	SIL16 SPONGE	
3341/SB	3.00	2.00	60 NGP	
3222/SB	3.80	2.00	60	
2134/SB	4.00	2.00	SIL16 SPONGE	
1313/SB	4.00	2.00	60	
553/SB	4.50	2.00	60	
602/SB	5.50	2.00	60	
2163/SB	6.00	2.00	10	
386/SB	6.00	2.00	50	
1649/1911/SB	6.00	2.00	60	
3252/SB	8.00	2.00	60	
178/SB	10.00	2.00	60	
707/SB	12.00	2.00	70	
575/SB	15.00	2.00	40	
1825/SB	15.00	2.00	55	
81/SB	16.00	2.00	60	
1200/SB	18.00	2.00	45	
1412/SB	20.00	2.00	60	
164/SB	20.00	2.00	70	
2618/SB	21.00	2.00	30	
842/SW	24.60	2.00	35	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
843/SW	29.60	2.00	35	
2159/SB	30.00	2.00	60	
179/SB	30.00	2.00	60	
276/SB	34.00	2.00	60	
3191/SB	34.00	2.00	90	
844/SW	34.40	2.00	35	
3111/SB	35.00	2.00	40	
1806/SB	35.00	2.00	75	
1736/SB	36.00	2.00	70	
845/SW	39.40	2.00	35	
392/SB	40.00	2.00	60	
895/SB	40.00	2.00	40	
156/SB	45.00	2.00	60	
934/SB	48.00	2.00	50	
1872/SB	48.00	2.00	70	
846/SW	49.40	2.00	35	
174/SB	55.00	2.00	60	
645/SB	55.00	2.00	70	
390/SB	60.00	2.00	50	
716/SB	65.00	2.00	60	
1271/SW	85.00	2.00	.	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1605/SB	95.00	2.00	90	
1022/SW	108.00	2.00	40	
1272/SW	120.00	2.00	.	
1377/SB	129.00	2.00	45	
1773/SB	75-77	2.00	50	
1132/SB	2.50	2.20	65	
3262/SB	15.00	2.20	60	
933/SB	41.00	2.20	50	
180/SB	30.00	2.27	70	
2136/SB	28.00	2.36	70	
1791/SB	18.00	2.38	60	
285/SB	3.20	2.40	FLUORO	
981/SB	2.50	2.50	60	
984/SB	4.30	2.50	SIL16 SPONGE	
1209/SB	5.00	2.50	60	
1578/SB	8.00	2.50	50	
1880/SB	8.00	2.50	80	
1857/SB	11.00	2.50	45	
2689/SB	13.00	2.50	60	
1918/SB	15.00	2.50	35	
222/SB	28.00	2.50	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
2926/SB	30.00	2.50	70	
1867/SB	32.00	2.50	60	
1559/SB	38.00	2.50	60	
81/SW SPLIT DIE	56.00	2.50	60	
333/SB	56.00	2.50	60	
1169/SB	60.00	2.50	45	
1049/SB	70.00	2.50	60	
2158/SB	95.00	2.50	60	
1894/SW	110.00	2.50	70	
1840a/SW	145.00	2.50	60	
2845/SB	21.00	2.58	45	
733/SB	27.00	2.60	55	
2993/SB	6.40	2.65	45	
3123/SB	12.00	2.70	60	
1381/SB	25.00	2.70	60	
2966/SB	50.00	2.70	40	
1038/SW	33.00	2.75	50	
2634/SB	4.80	2.80	50	
1672/SW	36.00	2.85	.	
1189/SB	3.00	3.00	SIL16 SPONGE	
808/SB	3.00	3.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
136/SB	3.00	3.00	60	
2762/SB	3.00	3.00	20	
1121/SB	3.50	3.00	60	
201/SB	4.00	3.00	60	
1758/SB	4.50	3.00	SIL16 SPONGE	
2961/SB	4.50	3.00	60	
2749/SB	4.60	3.00	60	
1321/SB	5.00	3.00	SIL16 SPONGE	
527/SB	5.00	3.00	60	
1290/SW	5.00	3.00	.	
325/SB	6.00	3.00	60	
3087/SB	7.00	3.00	60	
1854/SB	8.00	3.00	SIL16 SPONGE	
3240/SB	8.00	3.00	60	
1359/SB	10.00	3.00	60	
1058/SB	10.00	3.00	80	
1437/SB	11.00	3.00	60	
2752/SB	11.00	3.00	30	
912/SB	12.00	3.00	LP 7610	
748/SB	14.00	3.00	60	
1426/SB	14.00	3.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
752/SB	15.00	3.00	60	
324/SB	18.00	3.00	60	
117/SB	19.00	3.00	60	
1242/SB	20.00	3.00	45	
1713/SB	20.00	3.00	60	
297/SB	22.00	3.00	50	
598/SB	24.00	3.00	45	
36/SB	25.00	3.00	60	
624/SB	25.40	3.00	30	
800/SB	28.00	3.00	60	
2016/SB	28.00	3.00	70	
1869/SW	30.00	3.00	75	
1704/SB	32.00	3.00	45	
188/SB	33.00	3.00	50	
558/SB	35.00	3.00	SPECIAL	
1737/SB	36.00	3.00	60	
239/SB	44.00	3.00	70	
429/SW	50.00	3.00	60	
2/SB	50.00	3.00	60	
3235/SB	50.00	3.00	60 met det	
2866/SB	55.00	3.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
2042/SB	56.00	3.00	80	
171/SB	56.60	3.00	30	
393/SB	57.00	3.00	60	
3317/SB	62.00	3.00	70	
1844/SB	65.00	3.00	60	
2851/SB	65.00	3.00	60 FL	
2841/SB	66.00	3.00	60	
364/SW	82.00	3.00	55	
1295/SB	97.00	3.00	60	
809/SB	100.00	3.00	60	
1351/SB	100.00	3.00	60	
921/SW	125.00	3.00	50	
923/SB	130.00	3.00	TUFFEL 96006	
1224/SB	37.00	3.00	40	
6/SW	32.00	3.10	70	
61/SW	38.00	3.10	60	
2919/SB	11.07	3.17	70	
360/SB	12.70	3.17	60	
1099/SB	30.00	3.18	60	
3261/SB	4.80	3.20	60	
114/SW	6.30	3.20	40	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
882/SB	21.00	3.20	25	
479/SW	22.00	3.20	50	
1153/SW	23.00	3.20	80	
147/SB	40.00	3.20	60 L3	
871/SB	41.92	3.20	SPECIAL	
704/SB	46.00	3.20	35	
350/SW	101.00	3.20	60	
166/SB	9.50	3.25	60	
235/SB	12.00	3.25	60	
447/SB	14.00	3.25	40	
397/SB	22.22	3.25	60	
110/SB	25.40	3.25	70	
395/SB	44.45	3.25	60	
3008/SB	5.00	3.30	Addisil 160	
2889/SB	6.15	3.30	50	
945/SB	5.50	3.40	25	
1314/SB	4.50	3.50	35	
284/SW	5.00	3.50	60	
1898/SB	5.00	3.50	SIL16 SPONGE	
284/SW	5.00	3.50	60	
1487/SW	5.00	3.50	.	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
357/SB	12.00	3.50	60	
795/SB	50.00	3.50	75	
547/SB	18.00	3.75	70	
755/SB	9.50	3.96	60	
47/SB	4.00	4.00	60	
1119/SB	4.00	4.00	80	
1732/SB	4.00	4.00	SIL16 SPONGE	
2900/SB	4.70	4.00	50	
1738/SB	5.00	4.00	SIL16 SPONGE	
123/SB	6.00	4.00	20	
792/SB	6.00	4.00	50	
2116/SB	6.00	4.00	60	
3268X/SB	6.00	4.00	60	
433/SB	6.00	4.00	70	
2382/SB	6.00	4.00	SIL16 SPONGE	
2760/SB	7.00	4.00	60	
295/SW	8.00	4.00	50	
248/SB	8.00	4.00	50	
3051/SB	8.00	4.00	60	
2733/SB	8.00	4.00	SIL16 SPONGE	
220/SB	9.00	4.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
2902/SB	9.00	4.00	60	
2174/SB	9.50	4.00	45	
7/SW	9.50	4.00	30/50	
274/SB	10.00	4.00	60	
857/SB	10.50	4.00	60	
2994/SB	11.00	4.00	50	
3022/SB	11.00	4.00	50	
1597/SB	11.00	4.00	60	
573/SB	12.00	4.00	40	
587/SB	13.00	4.00	60	
2816/SB	15.00	4.00	40	
542/SB	15.00	4.00	60	
2948/SB	15.00	4.00	70	
775/SB	16.00	4.00	80	
872/SB	16.00	4.00	45	
979/SB	18.00	4.00	60	
1097/SB	20.00	4.00	50	
2735/SB	20.00	4.00	30	
1615/SB	22.00	4.00	45	
543/SB	23.00	4.00	60	
247/SB	25.00	4.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1742/SB	30.00	4.00	35	
165/SB	35.00	4.00	60	
329/SB	40.00	4.00	50	
1214/SW	40.00	4.00	.	
448/SW	45.00	4.00	30	
448/SW	45.00	4.00	30	
753/SB	50.00	4.00	60	
1157/SW	50.00	4.00	.	
277/SB	55.00	4.00	60	
3201/SB	80.00	4.00	60	
1625/SB	100.00	4.00	60	
1919/SW	110.00	4.00	60	
892/SB	112.50	4.00	50	
711/SW	150.00	4.00	80	
1943/SB	8.20	4.10	70	
253/SB	10.30	4.30	50	
219/SB	17.50	4.50	60	
1582/SW	25.00	4.50	.	
1201/SB	4.60	4.60	60	
1976/SB	10.00	4.70	45	
5/SW	25.40	4.70	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
772/SB	65.00	4.70	60	
1171/SB	4.75	4.75	55	
162/SB	7.14	4.75	60	
589/SB	9.50	4.75	60	
1/SB	12.70	4.75	40	
142/SB	17.46	4.75	60	
2367/SB	19.05	4.75	45	
28/SB	19.10	4.80	60	
116/SB	26.50	4.80	70	
428/SW	50.00	4.80	40	
2965/SB	7.77	4.85	60	
1261/SB	5.00	5.00	SIL16 SPONGE	
211/SB	5.00	5.00	60	
1483/SB	5.00	5.00	40	
810/SB	5.00	5.00	60	
3515	5.80	5.00	45	
1273/1095/SB	6.00	5.00	SIL16 SPONGE	
216/SB	6.00	5.00	60	
2681/SB	6.00	5.00	70	
3047/SB	6.80	5.00	20	
2001/SB	7.00	5.00	40	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1222/SB	7.00	5.00	60	
41/SW	8.00	5.00	40	
1627/SB	8.00	5.00	SIL16 SPONGE	
966/SB	8.00	5.00	40	
263/SB	8.00	5.00	60	
298/SB	8.00	5.00	60	
1317/SW	8.50	5.00	40	
467/SB	9.25	5.00	40	
93/SB	10.00	5.00	20	
3127/SB	10.00	5.00	40	
1570/SB	10.00	5.00	55	
494/SB	10.00	5.00	60	
1059/SB	10.00	5.00	80	
209/SB	12.00	5.00	50	
2756/SB	12.00	5.00	SIL16 SPONGE	
3020/SB	13.00	5.00	25	
282/SB	13.00	5.00	60	
373/SB	15.00	5.00	60	
281/SB	16.00	5.00	60	
290/SB	18.00	5.00	60	
590/SB	19.10	5.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1838/SB	20.00	5.00	30	
80/SB	20.00	5.00	35	
1914/SB	20.00	5.00	60	
2356/SB	24.00	5.00	25	
2903/SB	25.00	5.00	20	
2904/SB	25.00	5.00	30	
325/SW	25.00	5.00	60	
167/SB	27.00	5.00	50	
801/SB	30.00	5.00	25	
71/SB	30.00	5.00	60	
1871/SW	30.00	5.00	75	
366/SB	35.00	5.00	60	
374/SB	35.00	5.00	SPECIAL	
1562/SB	38.00	5.00	60	
868/SB	40.00	5.00	40	
1667/SB	40.00	5.00	60	
1870/SW	40.00	5.00	75	
1117/SB	45.00	5.00	60	
1303/SB	50.00	5.00	40	
1846/SB	50.00	5.00	60	
1507/SB	50.00	5.00	70	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1829/SB	52.00	5.00	50	
328/SB	53.00	5.00	SPECIAL	
1877/SW	55.00	8.00	80	
1304/SB	60.00	5.00	40	
1872/SW	60.00	5.00	75	
2831/SB	68.00	5.00	80	
1868/SW	83.00	5.00	80	
1898/SW	84.00	5.00	60	
486/SW	100.00	5.00	60	
396/SB	7.62	5.08	50	
3319/SB	6.30	5.20	70	
1966/SB	20.00	5.50	45	
2673/SB	7.17	5.55	55	
648/SB	7.67	5.71	40	
1262/SB	6.00	6.00	SIL16 SPONGE	
3256/SB	6.00	6.00	25	
1118/SB	6.00	6.00	45	
793/SB	6.00	6.00	50	
7/SB	6.00	6.00	60	
910/SB	7.00	6.00	40	
446/SB	7.00	6.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
25/SW	8.00	6.00	55	
1300/1441/SB	8.00	6.00	SIL16 SPONGE	
794/SB	8.00	6.00	50	
54/SB	8.00	6.00	70	
854/SB	9.00	6.00	45	
1417/SB	9.00	6.00	60	
1066/SB	9.20	6.00	45	
1655/SB	10.00	6.00	60	
91/SB	10.00	6.00	70	
1734/SW	10.00	6.00	.	
1967/SB	11.00	6.00	60	
744/SB	12.50	6.00	60	
2817/SB	15.00	6.00	40	
1956/SB	15.00	6.00	55	
1598/SB	16.00	6.00	60	
762/SW	17.00	6.00	75	
887/SB	17.00	6.00	40	
724/SB	18.00	6.00	60	
477/SB	19.00	6.00	35	
159/SB	20.00	6.00	40	
1140/SB	20.00	6.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
40/SW	25.00	6.00	60	
57/SB	25.00	6.00	50	
29/SB	25.00	6.00	40	
1915/SB	25.00	6.00	60	
1804/SW	30.00	6.00	.	
1/SW	31.00	6.00	50	
1916/SB	35.00	6.00	60	
2917/SB	40.00	6.00	60	
69/SB	40.00	6.00	70	
317/SB	40.00	6.00	80	
2630/SB	40.00	6.00	40	
342/SB	50.00	6.00	70	
382/SB	50.00	6.00	45	
2786/SB	55.00	6.00	60	
752/SW	60.00	6.00	60	
802/SB	65.00	6.00	50	
1673/SW	100.00	6.00	.	
994/SB	13.50	6.00	60	
1172/SB	13.72 RAD CORNERS	6.00	60	
115/SW	6.20	6.10	40	
1035/SB	25.00	6.20	50	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
309/SW	50.00	6.30	40	
240/SW	75.00	6.30	40	
3360/SB	6.35	6.35	50	
107/SB	6.35	6.35	60/70	
289/SB	8.00	6.35	60	
477/SW	9.50	6.35	35	
100/SB	9.50	6.35	60	
236/SB	10.00	6.35	60	
66/SB	11.10	6.35	60	
27/SW	12.70	6.35	60	
46/SB	12.70	6.35	60	
101/SB	14.29	6.35	60	
2947/SB	18.80	6.50	55	
8/SW	19.00	6.35	50	
38/SB	19.10	6.35	60	
237/SB	22.00	6.35	60	
311/SB	22.22	6.35	60	
58/SW	25.40	6.35	40	
261/609/SB	25.40	6.35	60	
254/SB	31.75	6.35	60	
23/SB	50.80	6.35	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1811/SB	75.00	6.35	60	
95/SB	19.00	6.40	60	
2378/SB	6.50	6.50	60	
2325/SB	9.00	6.50	60	
1710/SB	10.00	6.50	75	
370/SW	13.00	6.50	50	
2060/SB	15.00	6.50	70	
1892/SW	95.00	6.50	80	
1290/SB	12.00	6.75	75	
1095/SB	7.00	7.00	SIL16 SPONGE	
2770/SB	7.00	7.00	30	
307/SB	7.00	7.00	60	
914/SB	8.00	7.00	60	
1749/SB	9.00	7.00	60	
193/SB	10.00	7.00	60	
1338/SB	10.00	7.00	60	
1745/SW	11.00	7.00	.	
214/SB	12.00	7.00	60	
158/SB	12.10	7.00	60	
884/SB	12.50	7.00	45	
1277/SW	13.00	7.00	.	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
3302/SB	15.00	7.00	60	
3052/SB	16.00	7.00	60	
1173/SB	17.00	7.00	60	
19/SB	20.00	7.00	65	
2238/SB	20.00	7.00	60	
2395/SB	32.00	7.00	MF775	
3058/SB	32.00	7.00	80	
3457/SB	42.00	7.00	25	1 rad corner -R4
1219/SW	50.00	7.00	60	
1448/SB	25.00	7.50	60	
1449/SB	40.00	7.50	60	
3491/SB	12.70	7.93	60	
663/SB	11.11	7.94	60	
786/SB	8.00	8.00	50	
70/SB	8.00	8.00	60	
345/SB	8.00	8.00	60	
2360/SB	8.00	8.00	SIL16 SPONGE	
478/SW	8.80	8.00	40	
350/SB	9.00	8.00	60	
338/SB	9.50	8.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
145/SB	10.00	8.00	60	
867/SB	10.00	8.00	70	
2664/SB	10.00	8.00	50	
799/SB	12.00	8.00	45	
814/SB	12.00	8.00	60	
774/SB	12.00	8.00	60	
337/SW	12.70	8.00	40	
787/SB	13.00	8.00	50	
51/SW	15.00	8.00	35	
1185/SB	15.00	8.00	40	
1561/SB	15.00	8.00	50	
312/SB	15.00	8.00	60	
1561/SB	16.00	8.00	60	
210/SB	17.00	8.00	50	
213/SB	17.00	8.00	40	
405/SB	17.46	8.00	60	
3/SB	19.10	8.00	60	
138/SB	20.00	8.00	60	
77/SB	20.00	8.00	40	
1242/SB	20.00	8.00	45	
1367/SB	23.00	8.00	25	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
479/SB	25.00	8.00	60	
383/SB	30.00	8.00	60	
3512/SB	30.00	8.00	60 met det	
370/SB	31.00	8.00	70	
1974/SB	40.00	8.00	30	
316/SB	45.00	8.00	60	
570/SB	50.00	8.00	60	
3305/SB	50.00	8.00	70	
40/SB	35.00	8.20	40	
2974/SB	8.50	8.30	65	
259/SB	8.50	8.50	60	
3133/SB	12.50	8.50	75	
1817/SB	17.00	8.50	60	
1317/SW	50.00	8.50	.	
2798/SB	12.70	8.70	75	with 1.9mm rad
1977/SB	14.00	8.75	45	
2759/SB	10.00	8.90	20	
490/SB	10.00	9.00	60	
415/SB	12.00	9.00	60	
3474/SB	15.00	9.00	40	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
2912/SB	17.00	9.00	60	
89/SB	19.00	9.00	50	
291/SB	20.00	9.00	50	
821/SB	20.50	9.00	70	
3297/SB	26.00	9.00	45	
3093/SB	12.70	9.53	70 low comp	
344/SB	18.00	9.40	45	
35/SW	9.50	9.50	80	
113/SW	9.50	9.50	50/60	
187/SB	9.50	9.50	70	
60/SW	10.80	9.50	60	
3338/SB	11.00	9.50	70	
229/SB	11.11	9.50	40	
38/SW	12.70	9.50	60	
50/SB	15.87	9.50	60	
2598/SB	16.00	9.50	45	
37/SB	19.10	9.50	60	
62/SW	25.40	9.50	60	
75/SB	25.40	9.50	60	
1133/SB	10.00	10.00	30	
3094/SB	10.00	10.00	50	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
4/SB	10.00	10.00	60	
97/SB	10.00	10.00	70	
1372/SB	10.00	10.00	80	
1986/SB	11.00	10.00	60	
2380/SB	11.00	10.00	50	
455/SW	12.00	10.00	40	
1124/SB	12.00	10.00	30	
408/SB	12.00	10.00	50	
265/SB	12.00	10.00	60	
866/SB	12.00	10.00	70	
449/SB	12.50	10.00	60	
299/SW	13.00	10.00	70	
2063/SB	14.00	10.00	60	
65/SB	14.50	10.00	60	
197/SW	15.00	10.00	60	
119/SB	15.00	10.00	40	
208/SB	15.00	10.00	60	
278/SW	16.00	10.00	50	
1136/SB	16.00	10.00	30	
1864/SB	16.00	10.00	40	
308/SB	16.00	10.00	50	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
653/SB	16.00	10.00	60	
499/SB	17.00	10.00	60	
1316/SB	18.00	10.00	60	
1807/SB	20.00	10.00	45	
260/SB	20.00	10.00	60/20	
877/SB	20.00	10.00	45	
1231/SB	20.00	10.00	75	
2667/SB	20.00	10.00	60	
1264/SW	20.00	10.00	.	
595/SB	23.00	10.00	60	
367/SB	25.00	10.00	60	
1249/SW	25.00	10.00	60	
982/SB	26.00	10.00	50	
249/SB	30.00	10.00	30	
293/SB	30.00	10.00	60	
1250/SW	30.00	10.00	60	
508/SW	50.00	10.00	60	
1251/SW	50.00	10.00	60	
1067/SB	50.00	10.00	60	
1452/SW	55.00	10.00	.	
1856/SW	85.00	10.00	80	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1674/SW	100.00	10.00	.	
1821/SW	14.00	10.30	.	
372/SW	16.00	10.30	60	
3278/SB	12.50	10.50	75	
728/SB	14.50	10.50	60	
2803/SB	12.70	10.70	75	
1637/SB	11.00	11.00	60	
1592/1953/SB	14.00	11.00	60	
533/SW	14.30	11.00	60	
2061/SB	15.00	11.00	60	
2250/SB	15.00	11.00	35	
26/SW	16.00	11.00	60	
3266X/SB	20.00	11.00	60	
2643/SB	50.00	11.00	MF775	
403/SB	14.28	11.11	60	
238/SB	15.87	11.11	60	
124/SB	19.10	11.11	60	
1993/SB	12.00	12.00	35	
83/SB	12.00	12.00	60	
1477/SB	12.00	12.00	45	
182/SB	13.00	12.00	40	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1876/SB	14.00	12.00	60	
1104/SB	15.00	12.00	60	
1215/SB	15.00	12.00	45	
1647/SB	15.50	12.00	80	
1606/SB	16.00	12.00	50	
1397/SB	16.00	12.00	60	
1373/SB	16.00	12.00	80	
1462/SB	18.00	12.00	60	
304/SW	20.00	12.00	75	
59/SW	20.00	12.00	70	
2148/SB	20.00	12.00	50	
944/SB	20.00	12.00	80	
613/SB	23.00	12.00	60	
3234/SB	30.00	12.00	60	
988/SB	40.00	12.00	60	
157/SB	42.00	12.00	70	
1673/SB	70.00	12.00	80	
1862/SW	89.00	12.00	20	
2632/SB	13.70	12.20	60	
2807/SB	14.00	12.50	60	
596/SB	19.90	12.50	70	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
3014/SB	23.00	12.50	70	
345/SW	12.70	12.70	60/70	
73/SB	12.70	12.70	60	
893/SB	12.70	12.70	35	
189/SB	14.27	12.70	70	
43/SB	15.87	12.70	60	
36/SW	16.00	12.70	60	
2669/SB	19.00	12.70	60	
24/SB	19.10	12.70	50	
1091/SB	25.40	12.70	45	
186/SB	25.40	12.70	50	
1225/SB	25.40	12.70	60	
548/SB	28.57	12.70	60	
620/SB	31.75	12.70	60	
1226/SB	38.10	12.70	60	
505/SB	39.69	12.70	60	
2971/SB	13.00	13.00	60	
447/SW	14.00	13.00	50	
3475/SB	15.00	13.00	40	
452/SW	16.00	13.00	60	
1096/SB	16.00	13.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
394/SW	20.00	13.00	60	
120/SB	20.00	13.00	60	
1581/SB	26.00	13.00	55	
1264/SB	30.00	13.00	60	
42/SB	16.51	13.46	40	
845/SB	13.50	13.50	60	
394/SB	15.00	13.50	80	
294/SW	20.50	13.50	60	
1845/SB	30.00	13.50	35	
1888/SB	14.00	14.00	50	
2742/SB	18.00	14.00	50	
1662/SB	20.00	14.00	35	
3125/SB	20.00	14.00	60	
17/SB	15.87	14.27	20/30	
372/SB	15.87	14.28	60	
997/SB	19.10	14.28	50	
730/SB	25.40	14.29	70	
511/SB	35.00	14.29	70	
368/1985/SB	15.00	15.00	60	
1949/SB	15.00	15.00	80	
20/SW	17.00	15.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
249/SW	18.00	15.00	60	
705/SB	18.00	15.00	60	
240/SB	20.00	15.00	50	
985/SB	20.00	15.00	60	
3331/SB	20.00	15.00	60	
3021/SB	23.00	15.00	30	
3233/SB	24.00	15.00	60	
1887/SB	25.00	15.00	60	
8/SB	30.00	15.00	60	
432/SW	30.00	15.00	60	
264/SW	35.00	15.00	60	
1403/SB	38.40	15.00	60	
39/SW	40.00	15.00	50	
1229/SB	40.00	15.00	30	
1227/SB	50.00	15.00	30	
104/SB	15.87	15.87	60	
99/SB	19.10	15.87	60	
86/SB	31.75	15.87	60	
341/SB	34.92	15.87	70	
56/SW	16.00	16.00	50	
377/SB	16.00	16.00	40	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1239/SB	16.00	16.00	80	
28/SW	18.00	16.00	45	
1594/SB	20.00	16.00	60	
1212/SB	21.50	16.00	70	
1374/SB	24.00	16.00	80	
516/SW	35.00	16.00	70	
579/SW	35.00	16.00	80	
88/SB	35.00	16.00	30	
983/SB	40.00	16.00	60	
597/SB	32.00	16.50	70	
20/SW	15.00	17.00	60	
348/SW	20.60	17.00	60	
2682/SB	25.00	17.00	40	
205/SB	17.46	17.46	60	
68/SB	17.50	17.50	60	
1600/SB	18.00	18.00	40	
1560/SB	18.00	18.00	45	
706/SB	18.00	18.00	60	
1810/SB	40.00	18.00	60	
28/SW	16.00	19.00	45	
67/SW	19.00	19.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
1174/SB	19.00	19.00	40	
339/SW	32.00	19.00	60	
1832/SB	22.22	19.05	60	
1406/SB	8.00	19.10	60	
10/SB	19.10	19.10	60	
567/SB	19.10	19.10	70	
109/SB	25.40	19.10	30/50/70	
3012/SB	20.00	20.00	30	
272/SB	20.00	20.00	40	
1414/SB	20.00	20.00	60	
12/SB	20.00	20.00	75	
3071/SB	25.00	20.00	35	
911/SB	25.00	20.00	60	
781/SB	30.00	20.00	60	
270/SW	30.00	20.00	50	
896/SB	40.00	20.00	55	
1906/SW	120.00	20.00	60	
417/SB	25.40	20.64	60	
2171/SB	40.00	21.00	40	
332/SB	22.22 RAD CORNERS	22.22	50	
732/SB	25.00	22.00	60	

SQUARE / RECTANGULAR PROFILE

TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK

DATE: 08.01.14 ISS4 (UP TO DIE 3515/SB & 1921/SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS	
390/SW	25.40	22.20	60	
410/SB	25.00	23.00	60	
3477/SB	25.00	25.00	30	
2392/SB	25.00	25.00	45	
834/SB	30.00	25.00	60	
2930/SB	30.00	25.00	60	
1907/SW	40.00	25.00	30	
1245/SB	65.00	25.00	60	
1693/SW	83.00	25.00	.	
875/SB	25.00 RAD CORNERS	25.00	60	
144/SB	25.40	25.40	60	
51/SB	34.92	25.40	60	
2928/SB	30.00	28.00	60	
611/SB	30.00	30.00	60	
2624/SB	40.00	30.00	60	
3116/SB	50.00	40.00	60	
1814/SB	54.00	40.00	60	
1215/SW	60.00	40.00	.	
2937/SB	60.00	40.00	60	