

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3502/SB	2.40	0.25 & 0.3	60 NGP
1861b/SW	32 / 33	0.2 / 0.3	.
1111/283SW	28.00	0.37	.
212/SB	24.00	0.38	70
851/SB	35.00	0.40	70
784/SB	0.50	0.50	60
2850/SB	2.50	0.50	60
2931/SB	12.00	0.50	40
1747/SB	15.00	0.50	60
917/SW	17.50	0.50	75
798/SB	25.00	0.50	60 L3
2221/SB	36.00	0.50	50
69/SW SPLIT DIE	31.00	0.60	65
941/SB	11.50	0.64	60
642/SB	21.50	0.70	50
1044/SB	36.00	0.70	60
899/SW	113.00	0.70	60
3837/SB	12.00	0.75	50
4069/SB	18.00	0.75	60
1723/SB	40.00	0.75	80
1830/SB	43.00	0.75	80
748/SW	106.00	0.75	60
1316/SW	200.00	0.75	.
347/SB	10.00	0.80	40
76/SW SPLIT DIE	14.00	0.80	70
302/SB	14.00	0.80	60
1318/SB	16.00	0.80	30
1151/SB	20.00	0.80	80
93/SW SPLIT DIE	20.00	0.80	70
1254/SB	20.50	0.80	45
91/SW SPLIT DIE	21.00	0.80	70
1905/SW	22.00	0.80	40
720/SB	25.00	0.80	60 L3
678/SB	26.00	0.80	50
75/SW SPLIT DIE	27.00	0.80	65
692/SW	28.00	0.80	80
1719/SB	33.00	0.80	35
1718/SB	40.00	0.80	35
297/SW	50.00	0.80	65
1864/SW	140.00	0.8 / 1.0	50 NGP
962/SB	20.00	0.84	60
1876/SW	24.00	0.85	55
1865/SB	36.00	0.85	60
1446/SB	40.00	0.85	35
184/SB	8.00	0.86	80
185/SB	12.70	0.86	80

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1604/SB	8.00	0.90	60
1789/SB	12.00	0.90	70
2318/SB	1.00	1.00	80
3221/SB	3.80	1.00	60
4071/SB	8.00	1.00	40
2245/SB	10.00	1.00	15
4300/SB	10.00	1.00	60
2884/SB	10.00	1.00	60
2169/SB	12.00	1.00	40
169/SB	12.00	1.00	60
1203/SB	14.00	1.00	60
4102/SB	16.00	1.00	50
870/SB	16.00	1.00	60
1287/SB	17.00	1.00	40
1427/SB	17.00	1.00	55
836/SB	18.00	1.00	60
722/SB	19.00	1.00	30
556/SB	20.00	1.00	60
2721/SB	20.00	1.00	40
4301/SB	20.00	1.00	60
1518/SW	21.00	1.00	50
3784/SB	22.00	1.00	Met Det 60
852/SB	23.00	1.00	60
927/SB	25.00	1.00	FLUORO FSE F540
1178/SB	25.00	1.00	60
3090/SB	27.00	1.00	80
757/SB	30.00	1.00	50
661/SB	32.00	1.00	60 L3
2892/SB	36.00	1.00	40
1058/SW	37.00	1.00	65
1068/SB	39.00	1.00	60
76/SB	40.00	1.00	60 L3
1221/SB	45.00	1.00	60
1069/SB	47.00	1.00	60
79/SW SPLIT DIE	48.00	1.00	50
1136/SW	55.00	1.00	65
1634/SW	56.00	1.00	60
1634/SW	56 / 57	1.00	.
1518/SW	21.00	1.00	50
1524/SB	21.00	1.00	55
1393/SB	39.50	1.00	35
1768/SB	39.50	1.00	40
1804/SB	48.00	1.00	60
1904/SW	13.00	1.10	40
1352/SB	21.20	1.10	80
1614/SB	26.00	1.10	50

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1159/SW	94 / 95	1.10	.
2190/SB	14.00	1.14	70
378/SB	19.00	1.16	40
924/SB	38.00	1.20	80
103/SB	60.00	1.20	50
1251/SB	110.00	1.20	40
765/SB	30.00	1.25	50
1509/SB	35.00	1.25	50
2263/SB	41.00	1.25	70
4291/SB	45.00	1.27	DTD 5531
1045/SB	4.10	1.30	60
78/SW SPLIT DIE	16.00	1.30	50
3254/SB	2.20	1.50	70
3002/SB	3.00	1.50	60
2075/SB	10.00	1.50	SIL24
709/SB	12.00	1.50	60
4072/SB	12.20	1.50	60
2321/SB	13.00	1.50	60
463/SB	14.00	1.50	60
3298/SB	20.00	1.50	40
4170/SB	20.00	1.50	50
1796/SB	20.00	1.50	60
2617/SB	21.00	1.50	30
4089/SB	22.00	1.50	40
918/1788/SB	22.00	1.50	60
3938/SB	25.00	1.50	40
1197/SB	25.00	1.50	80
1558/SB	25.00	1.50	60
563/SB	26.00	1.50	40
560/SB	38.00	1.50	60
427/SB	38.00	1.50	70
727/SB	40.00	1.50	50
82/SW SPLIT DIE	43.00	1.50	50
1396/SB	46.50	1.50	60
768/SB	50.00	1.50	50
1424/SB	50.00	1.50	50
3236/SB	50.00	1.50	60 met det
1856/SB	65.00	1.50	55
1094/SB	66.00	1.50	65
3686	71.00	1.50	40
1975/SB	76.00	1.50	70
967/SB	89.00	1.50	60
1918/SW	90.00	1.50	40
2073/SB	90.00	1.50	60
1915/SW	95.00	1.50	55
1125/SB	53.75	1.50	70

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1546/SW	100.00	1.50	.
936/SB	30.00	1.52	60
3611/SB	25.50	1.57	AMS3304
803/SB	9.50	1.60	60
256/SB	12.70	1.60	50
45/SB	28.50	1.60	60 L3
275/SB	38.00	1.60	S30/50
284/SB	40.00	1.60	S30/50
279/SB	45.00	1.60	60
315/SB	45.00	1.60	60
414/SW	50.00	1.60	60
343/SB	50.00	1.60	60
389/SB	50.00	1.60	50 L2
1525/SB	50.00	1.60	55
125/SB	56.00	1.60	70
1299/SB	70.00	1.60	50
980/SB	70.00	1.60	60
2091/SB	18.00	1.70	60
1225/SB	25.00	1.70	70
3249/SB	9.53	8.175	60
1308/SB	61.00	1.80	55
2157/SB	2.00	2.00	50
203/SB	2.00	2.00	60
2662/SB	2.00	2.00	SIL16
3341/SB	3.00	2.00	60 NGP
4290/SB	3.00	2.00	90
3222/SB	3.80	2.00	60
2134/SB	4.00	2.00	SIL16
1313/SB	4.00	2.00	60
3799/SB	4.50	2.00	60
553/SB	4.50	2.00	60
4015/SB	5.00	2.00	60
602/SB	5.50	2.00	60
2163/SB	6.00	2.00	10
386/SB	6.00	2.00	50
1649/1911/SB	6.00	2.00	60
3516/SB	6.00	2.00	Met Det 60
3801/SB	6.60	2.00	60
3252/SB	8.00	2.00	60
4214/SB	9.80	2.00	60
3859/SB	10.00	2.00	40
178/SB	10.00	2.00	60
707/SB	12.00	2.00	70
3542/SB	14.00	2.00	30
575/SB	15.00	2.00	40
1825/SB	15.00	2.00	55

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3729/SB	15.00	2.00	70
81/SB	16.00	2.00	60
1200/SB	18.00	2.00	45
1412/SB	20.00	2.00	60
164/SB	20.00	2.00	70
2618/SB	21.00	2.00	30
3825/SB	22.00	2.00	50
3920/SB	22.00	2.00	75
842/SW	24.60	2.00	35
843/SW	29.60	2.00	35
4107/SB	30.00	2.00	50
2159/SB	30.00	2.00	60
179/SB	30.00	2.00	60
276/SB	34.00	2.00	60
3191/SB	34.00	2.00	90
844/SW	34.40	2.00	35
3111/SB	35.00	2.00	40
1806/SB	35.00	2.00	75
1736/SB	36.00	2.00	70
845/SW	39.40	2.00	35
392/SB	40.00	2.00	60
895/SB	40.00	2.00	40
156/SB	45.00	2.00	60
934/SB	48.00	2.00	50
1872/SB	48.00	2.00	70
846/SW	49.40	2.00	35
3994/SB	52.00	2.00	80
174/SB	55.00	2.00	60
645/SB	55.00	2.00	70
390/SB	60.00	2.00	50
716/SB	65.00	2.00	60
1271/SW	85.00	2.00	.
1605/SB	95.00	2.00	90
1022/SW	108.00	2.00	40
1272/SW	120.00	2.00	.
1377/SB	129.00	2.00	45
1773/SB	75-77	2.00	50
1132/SB	2.50	2.20	65
3262/SB	15.00	2.20	60
933/SB	41.00	2.20	50
180/SB	30.00	2.27	70
2136/SB	28.00	2.36	70
1791/SB	18.00	2.38	60
285/SB	3.20	2.40	FLUORO
981/SB	2.50	2.50	60
984/SB	4.30	2.50	SIL16

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1209/SB	5.00	2.50	60
1578/SB	8.00	2.50	50
1880/SB	8.00	2.50	80
1857/SB	11.00	2.50	45
2689/SB	13.00	2.50	60
1918/SB	15.00	2.50	35
222/SB	28.00	2.50	60
2926/SB	30.00	2.50	70
1867/SB	32.00	2.50	60
4298/SB	34.00	2.50	60
4264/SB	35.00	2.50	60
1559/SB	38.00	2.50	60
4261/SB	40.00	2.50	60
81/SW SPLIT DIE	56.00	2.50	60
333/SB	56.00	2.50	60
1169/SB	60.00	2.50	45
1049/SB	70.00	2.50	60
2158/SB	95.00	2.50	60
1894/SW	110.00	2.50	70
1840a/SW	145.00	2.50	60
2845/SB	21.00	2.58	45
733/SB	27.00	2.60	55
2993/SB	6.40	2.65	45
3123/SB	12.00	2.70	60
1381/SB	25.00	2.70	60
2966/SB	50.00	2.70	40
4245/SB	20.00	2.75	70
4045/SB	24.00	2.75	50
1038/SW	33.00	2.75	50
2634/SB	4.80	2.80	50
1672/SW	36.00	2.85	.
1189/SB	3.00	3.00	SIL16
808/SB	3.00	3.00	60
136/SB	3.00	3.00	60
2762/SB	3.00	3.00	20
1121/SB	3.50	3.00	60
201/SB	4.00	3.00	60
4011/SB	4.00	3.00	Met Det 60
1758/SB	4.50	3.00	SIL16
2961/SB	4.50	3.00	60
2749/SB	4.60	3.00	60
1321/SB	5.00	3.00	SIL16
527/SB	5.00	3.00	60
1290/SW	5.00	3.00	.
4080/SB	6.00	3.00	40
325/SB	6.00	3.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3087/SB	7.00	3.00	60
1854/SB	8.00	3.00	SIL16
3240/SB	8.00	3.00	60
1359/SB	10.00	3.00	60
1058/SB	10.00	3.00	80
1437/SB	11.00	3.00	60
2752/SB	11.00	3.00	30
912/SB	12.00	3.00	LP 7610
748/SB	14.00	3.00	60
1426/SB	14.00	3.00	60
752/SB	15.00	3.00	60
324/SB	18.00	3.00	60
117/SB	19.00	3.00	60
1242/SB	20.00	3.00	45
1713/SB	20.00	3.00	60
297/SB	22.00	3.00	50
3952/SB	22.00	3.00	60
598/SB	24.00	3.00	45
36/SB	25.00	3.00	60
624/SB	25.40	3.00	30
4102/SB	28.00	3.00	60
800/SB	28.00	3.00	60
2016/SB	28.00	3.00	70
3867/SB	30.00	3.00	60
1869/SW	30.00	3.00	75
1704/SB	32.00	3.00	45
188/SB	33.00	3.00	50
558/SB	35.00	3.00	SPECIAL
1737/SB	36.00	3.00	60
239/SB	44.00	3.00	70
429/SW	50.00	3.00	60
2/SB	50.00	3.00	60
3235/SB	50.00	3.00	60 met det
2866/SB	55.00	3.00	60
4278/SB	55.00	3.00	60
2042/SB	56.00	3.00	80
171/SB	56.60	3.00	30
393/SB	57.00	3.00	60
3317/SB	62.00	3.00	70
4009/SB	64.00	3.00	60
3863/SB	65.00	3.00	60
1844/SB	65.00	3.00	60
2851/SB	65.00	3.00	60 FL
2841/SB	66.00	3.00	60
364/SW	82.00	3.00	55
1295/SB	97.00	3.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
809/SB	100.00	3.00	60
1351/SB	100.00	3.00	60
921/SW	125.00	3.00	50
923/SB	130.00	3.00	TUFFEL 96006
1224/SB	37.00	3.00	40
6/SW	32.00	3.10	70
61/SW	38.00	3.10	60
2919/SB	11.07	3.17	70
360/SB	12.70	3.17	60
1099/SB	30.00	3.18	60
3261/SB	4.80	3.20	60
4235/SB	5.20	3.20	60
114/SW	6.30	3.20	40
882/SB	21.00	3.20	25
479/SW	22.00	3.20	50
1153/SW	23.00	3.20	80
147/SB	40.00	3.20	60 L3
871/SB	41.92	3.20	SPECIAL
704/SB	46.00	3.20	35
350/SW	101.00	3.20	60
166/SB	9.50	3.25	60
235/SB	12.00	3.25	60
447/SB	14.00	3.25	40
397/SB	22.22	3.25	60
110/SB	25.40	3.25	70
395/SB	44.45	3.25	60
3008/SB	5.00	3.30	Addisil 160
2889/SB	6.15	3.30	50
945/SB	5.50	3.40	25
1314/SB	4.50	3.50	35
284/SW	5.00	3.50	60
1898/SB	5.00	3.50	SIL16
284/SW	5.00	3.50	60
1487/SW	5.00	3.50	.
4154/SB	6.00	3.50	80
357/SB	12.00	3.50	60
795/SB	50.00	3.50	75
547/SB	18.00	3.75	70
755/SB	9.50	3.96	60
47/SB	4.00	4.00	60
1119/SB	4.00	4.00	80
1732/SB	4.00	4.00	SIL16
3545/SB	4.00	4.00	ADD 150
4010/SB	4.00	4.00	Met Det 60
2900/SB	4.70	4.00	50
1738/SB	5.00	4.00	SIL16

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
123/SB	6.00	4.00	20
792/SB	6.00	4.00	50
2116/SB	6.00	4.00	60
3268X/SB	6.00	4.00	60
433/SB	6.00	4.00	70
2382/SB	6.00	4.00	SIL16
3783/SB	6.00	4.00	ADD 150
3744/SB	7.00	4.00	35
3644/SB	7.00	4.00	45
2760/SB	7.00	4.00	60
295/SW	8.00	4.00	50
248/SB	8.00	4.00	50
3051/SB	8.00	4.00	60
2733/SB	8.00	4.00	SIL16
220/SB	9.00	4.00	60
2902/SB	9.00	4.00	60
4208/SB	9.00	4.00	60
2174/SB	9.50	4.00	45
7/SW	9.50	4.00	30/50
274/SB	10.00	4.00	60
4205/SB	10.00	4.00	70
857/SB	10.50	4.00	60
2994/SB	11.00	4.00	50
3022/SB	11.00	4.00	50
1597/SB	11.00	4.00	60
573/SB	12.00	4.00	40
587/SB	13.00	4.00	60
2816/SB	15.00	4.00	40
542/SB	15.00	4.00	60
2948/SB	15.00	4.00	70
3851/SB	15.00	4.00	80
4112/SB	16.00	4.00	50
775/SB	16.00	4.00	80
872/SB	16.00	4.00	45
979/SB	18.00	4.00	60
4060/SB	19.00	4.00	60
1097/SB	20.00	4.00	50
2735/SB	20.00	4.00	30
1615/SB	22.00	4.00	45
543/SB	23.00	4.00	60
247/SB	25.00	4.00	60
3958/SB	25.50	4.00	LT 50
1742/SB	30.00	4.00	35
3858/SB	30.00	4.00	Fluoro 40
165/SB	35.00	4.00	60
329/SB	40.00	4.00	50

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1214/SW	40.00	4.00	.
448/SW	45.00	4.00	30
448/SW	45.00	4.00	30
753/SB	50.00	4.00	60
1157/SW	50.00	4.00	.
277/SB	55.00	4.00	60
3201/SB	80.00	4.00	60
1625/SB	100.00	4.00	60
1919/SW	110.00	4.00	60
892/SB	112.50	4.00	50
711/SW	150.00	4.00	80
1943/SB	8.20	4.10	70
4099/SB	4.20	4.20	50
3997/SB	6.10	4.20	60
253/SB	10.30	4.30	50
3657/SB	5.00	4.50	60
3632/SB	8.30	4.50	70
4142/SB	15.50	4.50	30
219/SB	17.50	4.50	60
1582/SW	25.00	4.50	.
1201/SB	4.60	4.60	60
1976/SB	10.00	4.70	45
5/SW	25.40	4.70	60
772/SB	65.00	4.70	60
1171/SB	4.75	4.75	55
162/SB	7.14	4.75	60
589/SB	9.50	4.75	60
1/SB	12.70	4.75	40
142/SB	17.46	4.75	60
2367/SB	19.05	4.75	45
28/SB	19.10	4.80	60
116/SB	26.50	4.80	70
428/SW	50.00	4.80	40
2965/SB	7.77	4.85	60
1261/SB	5.00	5.00	SIL16
211/SB	5.00	5.00	60
1483/SB	5.00	5.00	40
810/SB	5.00	5.00	60
3515	5.80	5.00	45
1273/1095/SB	6.00	5.00	SIL16
216/SB	6.00	5.00	60
2681/SB	6.00	5.00	70
3047/SB	6.80	5.00	20
2001/SB	7.00	5.00	40
1222/SB	7.00	5.00	60
41/SW	8.00	5.00	40

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1627/SB	8.00	5.00	SIL16
966/SB	8.00	5.00	40
263/SB	8.00	5.00	60
298/SB	8.00	5.00	60
1317/SW	8.50	5.00	40
3778/SB	9.00	5.00	20
467/SB	9.25	5.00	40
3907/SB	9.80	5.00	60
93/SB	10.00	5.00	20
3127/SB	10.00	5.00	40
1570/SB	10.00	5.00	55
494/SB	10.00	5.00	60
1059/SB	10.00	5.00	80
209/SB	12.00	5.00	50
2756/SB	12.00	5.00	SIL16
3020/SB	13.00	5.00	25
282/SB	13.00	5.00	60
3932/SB	14.00	5.00	60
3740/SB	15.00	5.00	25
373/SB	15.00	5.00	60
281/SB	16.00	5.00	60
290/SB	18.00	5.00	60
590/SB	19.10	5.00	60
3569/SB	20.00	5.00	25
1838/SB	20.00	5.00	30
80/SB	20.00	5.00	35
1914/SB	20.00	5.00	60
2356/SB	24.00	5.00	25
2903/SB	25.00	5.00	20
2904/SB	25.00	5.00	30
325/SW	25.00	5.00	60
167/SB	27.00	5.00	50
3567/SB	30.00	5.00	25
801/SB	30.00	5.00	25
71/SB	30.00	5.00	60
1871/SW	30.00	5.00	75
366/SB	35.00	5.00	60
374/SB	35.00	5.00	SPECIAL
1562/SB	38.00	5.00	60
3568/SB	40.00	5.00	25
868/SB	40.00	5.00	40
1667/SB	40.00	5.00	60
1870/SW	40.00	5.00	75
1117/SB	45.00	5.00	60
1303/SB	50.00	5.00	40
1846/SB	50.00	5.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
1507/SB	50.00	5.00	70
1829/SB	52.00	5.00	50
328/SB	53.00	5.00	SPECIAL
3979/SB	65.00	5.00	80
1877/SW	55.00	8.00	80
1304/SB	60.00	5.00	40
1872/SW	60.00	5.00	75
2831/SB	68.00	5.00	80
1868/SW	83.00	5.00	80
1898/SW	84.00	5.00	60
486/SW	100.00	5.00	60
396/SB	7.62	5.08	50
3319/SB	6.30	5.20	70
1966/SB	20.00	5.50	45
2673/SB	7.17	5.55	55
648/SB	7.67	5.71	40
1262/SB	6.00	6.00	SIL16
3256/SB	6.00	6.00	25
1118/SB	6.00	6.00	45
793/SB	6.00	6.00	50
7/SB	6.00	6.00	60
910/SB	7.00	6.00	40
446/SB	7.00	6.00	60
25/SW	8.00	6.00	55
1300/1441/SB	8.00	6.00	SIL16
794/SB	8.00	6.00	50
54/SB	8.00	6.00	70
854/SB	9.00	6.00	45
1417/SB	9.00	6.00	60
1066/SB	9.20	6.00	45
3670/SB	10.00	6.00	30
1655/SB	10.00	6.00	60
91/SB	10.00	6.00	70
1734/SW	10.00	6.00	.
1967/SB	11.00	6.00	60
3618/SB	12.00	6.00	80
4171/SB	12.00	6.00	Met Det 60
744/SB	12.50	6.00	60
2817/SB	15.00	6.00	40
1956/SB	15.00	6.00	55
1598/SB	16.00	6.00	60
762/SW	17.00	6.00	75
887/SB	17.00	6.00	40
724/SB	18.00	6.00	60
477/SB	19.00	6.00	35
3689/SB	20.00	6.00	40

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
159/SB	20.00	6.00	40
1140/SB	20.00	6.00	60
3838/SB	22.00	6.00	60
40/SW	25.00	6.00	60
57/SB	25.00	6.00	50
29/SB	25.00	6.00	40
1915/SB	25.00	6.00	60
1804/SW	30.00	6.00	.
1/SW	31.00	6.00	50
1916/SB	35.00	6.00	60
2917/SB	40.00	6.00	60
69/SB	40.00	6.00	70
317/SB	40.00	6.00	80
2630/SB	40.00	6.00	40
342/SB	50.00	6.00	70
382/SB	50.00	6.00	45
2786/SB	55.00	6.00	60
752/SW	60.00	6.00	60
802/SB	65.00	6.00	50
1673/SW	100.00	6.00	.
994/SB	13.50	6.00	60
1172/SB	13.72 RAD CORNERS	6.00	60
115/SW	6.20	6.10	40
1035/SB	25.00	6.20	50
309/SW	50.00	6.30	40
240/SW	75.00	6.30	40
3360/SB	6.35	6.35	50
107/SB	6.35	6.35	60/70
289/SB	8.00	6.35	60
477/SW	9.50	6.35	35
100/SB	9.50	6.35	60
236/SB	10.00	6.35	60
66/SB	11.10	6.35	60
27/SW	12.70	6.35	60
46/SB	12.70	6.35	60
101/SB	14.29	6.35	60
2947/SB	18.80	6.50	55
8/SW	19.00	6.35	50
38/SB	19.10	6.35	60
237/SB	22.00	6.35	60
311/SB	22.22	6.35	60
58/SW	25.40	6.35	40
261/609/SB	25.40	6.35	60
254/SB	31.75	6.35	60
23/SB	50.80	6.35	60
1811/SB	75.00	6.35	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
95/SB	19.00	6.40	60
4287/SB	20.00	6.40	60
4051/SB	22.00	6.40	30
4286/SB	30.00	6.40	60
2378/SB	6.50	6.50	60
2325/SB	9.00	6.50	60
1710/SB	10.00	6.50	75
370/SW	13.00	6.50	50
2060/SB	15.00	6.50	70
1892/SW	95.00	6.50	80
1290/SB	12.00	6.75	75
1095/SB	7.00	7.00	SIL16
2770/SB	7.00	7.00	30
307/SB	7.00	7.00	60
914/SB	8.00	7.00	60
1749/SB	9.00	7.00	60
193/SB	10.00	7.00	60
1338/SB	10.00	7.00	60
1745/SW	11.00	7.00	.
214/SB	12.00	7.00	60
158/SB	12.10	7.00	60
884/SB	12.50	7.00	45
1277/SW	13.00	7.00	.
3302/SB	15.00	7.00	60
3052/SB	16.00	7.00	60
1173/SB	17.00	7.00	60
19/SB	20.00	7.00	65
2238/SB	20.00	7.00	60
2395/SB	32.00	7.00	MF775
3058/SB	32.00	7.00	80
3457/SB	42.00	7.00	25
1219/SW	50.00	7.00	60
1448/SB	25.00	7.50	60
1449/SB	40.00	7.50	60
3491/SB	12.70	7.93	60
663/SB	11.11	7.94	60
3548/SB	8.00	8.00	30
3654/SB	8.00	8.00	40
786/SB	8.00	8.00	50
70/SB	8.00	8.00	60
3629/SB	8.00	8.00	90
345/SB	8.00	8.00	60
2360/SB	8.00	8.00	SIL16
4062/SB	8.00	8.00	Met Det 60
478/SW	8.80	8.00	40
350/SB	9.00	8.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
338/SB	9.50	8.00	60
4187/SB	10.00	8.00	50
145/SB	10.00	8.00	60
867/SB	10.00	8.00	70
2664/SB	10.00	8.00	50
799/SB	12.00	8.00	45
814/SB	12.00	8.00	60
774/SB	12.00	8.00	60
337/SW	12.70	8.00	40
787/SB	13.00	8.00	50
51/SW	15.00	8.00	35
1185/SB	15.00	8.00	40
3687/SB	15.00	8.00	40
1561/SB	15.00	8.00	50
312/SB	15.00	8.00	60
1561/SB	16.00	8.00	60
3576/SB	17.00	8.00	60
210/SB	17.00	8.00	50
213/SB	17.00	8.00	40
405/SB	17.46	8.00	60
3/SB	19.10	8.00	60
138/SB	20.00	8.00	60
77/SB	20.00	8.00	40
1242/SB	20.00	8.00	45
1367/SB	23.00	8.00	25
3781/SB	25.00	8.00	50
479/SB	25.00	8.00	60
383/SB	30.00	8.00	60
3512/SB	30.00	8.00	60 met det
370/SB	31.00	8.00	70
1974/SB	40.00	8.00	30
316/SB	45.00	8.00	60
570/SB	50.00	8.00	60
3305/SB	50.00	8.00	70
40/SB	35.00	8.20	40
2974/SB	8.50	8.30	65
259/SB	8.50	8.50	60
3133/SB	12.50	8.50	75
1817/SB	17.00	8.50	60
1317/SW	50.00	8.50	.
2798/SB	12.70	8.70	75
1977/SB	14.00	8.75	45
2759/SB	10.00	8.90	20
4057/SB	9.00	9.00	80
490/SB	10.00	9.00	60
415/SB	12.00	9.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3739/SB	14.00	9.00	55
3474/SB	15.00	9.00	40
2912/SB	17.00	9.00	60
89/SB	19.00	9.00	50
291/SB	20.00	9.00	50
821/SB	20.50	9.00	70
3297/SB	26.00	9.00	45
3093/SB	12.70	9.53	70 low comp
344/SB	18.00	9.40	45
35/SW	9.50	9.50	80
113/SW	9.50	9.50	50/60
187/SB	9.50	9.50	70
60/SW	10.80	9.50	60
3338/SB	11.00	9.50	70
229/SB	11.11	9.50	40
38/SW	12.70	9.50	60
50/SB	15.87	9.50	60
2598/SB	16.00	9.50	45
37/SB	19.10	9.50	60
62/SW	25.40	9.50	60
75/SB	25.40	9.50	60
3547/SB	10.00	10.00	30
1133/SB	10.00	10.00	30
3880/SB	10.00	10.00	40
3094/SB	10.00	10.00	50
4/SB	10.00	10.00	60
97/SB	10.00	10.00	70
1372/SB	10.00	10.00	80
1986/SB	11.00	10.00	60
2380/SB	11.00	10.00	50
455/SW	12.00	10.00	40
1124/SB	12.00	10.00	30
408/SB	12.00	10.00	50
265/SB	12.00	10.00	60
866/SB	12.00	10.00	70
449/SB	12.50	10.00	60
4113/SB	13.00	10.00	60
299/SW	13.00	10.00	70
2063/SB	14.00	10.00	60
65/SB	14.50	10.00	60
197/SW	15.00	10.00	60
119/SB	15.00	10.00	40
208/SB	15.00	10.00	60
278/SW	16.00	10.00	50
1136/SB	16.00	10.00	30
1864/SB	16.00	10.00	40

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
308/SB	16.00	10.00	50
653/SB	16.00	10.00	60
499/SB	17.00	10.00	60
1316/SB	18.00	10.00	60
1807/SB	20.00	10.00	45
260/SB	20.00	10.00	60/20
877/SB	20.00	10.00	45
1231/SB	20.00	10.00	75
2667/SB	20.00	10.00	60
1264/SW	20.00	10.00	.
4202/SB	22.00	10.00	50
595/SB	23.00	10.00	60
367/SB	25.00	10.00	60
1249/SW	25.00	10.00	60
4274/SB	25.00	10.00	Met Det 60
982/SB	26.00	10.00	50
249/SB	30.00	10.00	30
4219/SB	30.00	10.00	40
293/SB	30.00	10.00	60
1250/SW	30.00	10.00	60
508/SW	50.00	10.00	60
1251/SW	50.00	10.00	60
1067/SB	50.00	10.00	60
1452/SW	55.00	10.00	.
1856/SW	85.00	10.00	80
1674/SW	100.00	10.00	.
1821/SW	14.00	10.30	.
372/SW	16.00	10.30	60
3278/SB	12.50	10.50	75
728/SB	14.50	10.50	60
2803/SB	12.70	10.70	75
1637/SB	11.00	11.00	60
1592/1953/SB	14.00	11.00	60
533/SW	14.30	11.00	60
2061/SB	15.00	11.00	60
2250/SB	15.00	11.00	35
26/SW	16.00	11.00	60
3266X/SB	20.00	11.00	60
2643/SB	50.00	11.00	MF775
403/SB	14.28	11.11	60
238/SB	15.87	11.11	60
124/SB	19.10	11.11	60
3733/SB	12.30	11.80	60
1993/SB	12.00	12.00	35
83/SB	12.00	12.00	60
1477/SB	12.00	12.00	45

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3832/SB	13.00	12.00	30
182/SB	13.00	12.00	40
1876/SB	14.00	12.00	60
1104/SB	15.00	12.00	60
1215/SB	15.00	12.00	45
1647/SB	15.50	12.00	80
1606/SB	16.00	12.00	50
1397/SB	16.00	12.00	60
1373/SB	16.00	12.00	80
1462/SB	18.00	12.00	60
304/SW	20.00	12.00	75
59/SW	20.00	12.00	70
2148/SB	20.00	12.00	50
944/SB	20.00	12.00	80
613/SB	23.00	12.00	60
3920/SB	25.00	12.00	75
3234/SB	30.00	12.00	60
988/SB	40.00	12.00	60
157/SB	42.00	12.00	70
3675/SB	50.00	12.00	60
1673/SB	70.00	12.00	80
1862/SW	89.00	12.00	20
2632/SB	13.70	12.20	60
4080/SB	12.50	12.50	60
2807/SB	14.00	12.50	60
596/SB	19.90	12.50	70
3014/SB	23.00	12.50	70
345/SW	12.70	12.70	60/70
73/SB	12.70	12.70	60
893/SB	12.70	12.70	35
189/SB	14.27	12.70	70
43/SB	15.87	12.70	60
36/SW	16.00	12.70	60
2669/SB	19.00	12.70	60
24/SB	19.10	12.70	50
1091/SB	25.40	12.70	45
186/SB	25.40	12.70	50
1225/SB	25.40	12.70	60
3878/SB	25.40	12.70	60
548/SB	28.57	12.70	60
620/SB	31.75	12.70	60
1226/SB	38.10	12.70	60
505/SB	39.69	12.70	60
2971/SB	13.00	13.00	60
447/SW	14.00	13.00	50
3475/SB	15.00	13.00	40

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
4019/SB	15.00	13.00	60
452/SW	16.00	13.00	60
1096/SB	16.00	13.00	60
394/SW	20.00	13.00	60
120/SB	20.00	13.00	60
1581/SB	26.00	13.00	55
1264/SB	30.00	13.00	60
42/SB	16.51	13.46	40
845/SB	13.50	13.50	60
394/SB	15.00	13.50	80
294/SW	20.50	13.50	60
1845/SB	30.00	13.50	35
1888/SB	14.00	14.00	50
3678/SB	14.00	14.00	60
2742/SB	18.00	14.00	50
1662/SB	20.00	14.00	35
3125/SB	20.00	14.00	60
3998/SS	25.00	14.00	60
4140/SB	30.00	14.00	45
17/SB	15.87	14.27	20/30
372/SB	15.87	14.28	60
997/SB	19.10	14.28	50
730/SB	25.40	14.29	70
511/SB	35.00	14.29	70
3558/SB	15.00	15.00	Met Det 60
4233/SB	15.00	15.00	30
368/1985/SB	15.00	15.00	60
1949/SB	15.00	15.00	80
4114/SB	17.00	15.00	60
20/SW	17.00	15.00	60
249/SW	18.00	15.00	60
705/SB	18.00	15.00	60
3755/SB	18.00	15.00	60
3630/SB	20.00	15.00	30
240/SB	20.00	15.00	50
985/SB	20.00	15.00	60
3331/SB	20.00	15.00	60
3021/SB	23.00	15.00	30
3233/SB	24.00	15.00	60
1887/SB	25.00	15.00	60
3978/SB	30.00	15.00	30
3760/SB	30.00	15.00	35
8/SB	30.00	15.00	60
432/SW	30.00	15.00	60
264/SW	35.00	15.00	60
1403/SB	38.40	15.00	60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
39/SW	40.00	15.00	50
1229/SB	40.00	15.00	30
1227/SB	50.00	15.00	30
104/SB	15.87	15.87	60
99/SB	19.10	15.87	60
86/SB	31.75	15.87	60
341/SB	34.92	15.87	70
56/SW	16.00	16.00	50
377/SB	16.00	16.00	40
1239/SB	16.00	16.00	80
28/SW	18.00	16.00	45
3543/SB	19.00	16.00	60
1594/SB	20.00	16.00	60
1212/SB	21.50	16.00	70
1374/SB	24.00	16.00	80
516/SW	35.00	16.00	70
579/SW	35.00	16.00	80
88/SB	35.00	16.00	30
983/SB	40.00	16.00	60
597/SB	32.00	16.50	70
20/SW	15.00	17.00	60
348/SW	20.60	17.00	60
2682/SB	25.00	17.00	40
205/SB	17.46	17.46	60
68/SB	17.50	17.50	60
1600/SB	18.00	18.00	40
1560/SB	18.00	18.00	45
706/SB	18.00	18.00	60
4089/SB	22.00	18.00	60
3518/SB	36.00	18.00	45
1810/SB	40.00	18.00	60
28/SW	16.00	19.00	45
67/SW	19.00	19.00	60
1174/SB	19.00	19.00	40
339/SW	32.00	19.00	60
1832/SB	22.22	19.05	60
1406/SB	8.00	19.10	60
10/SB	19.10	19.10	60
567/SB	19.10	19.10	70
109/SB	25.40	19.10	30/50/70
4308/SB	20.00	20.00	30
3012/SB	20.00	20.00	30
272/SB	20.00	20.00	40
1414/SB	20.00	20.00	60
12/SB	20.00	20.00	75
4014/SB	20.00	20.00	Met Det 60

**SQUARE / RECTANGULAR PROFILE
TOOL LIST ONLY - EXTRUSIONS NOT HELD IN STOCK**

DATE: 27.06.18 ISS5 (UP TO DIE 3515/SB & 1921SW)

DIE #	WIDTH (mm)	THICKNESS (mm)	HARDNESS
3071/SB	25.00	20.00	35
911/SB	25.00	20.00	60
3779/SB	29.00	20.00	50
781/SB	30.00	20.00	60
3546/SB	30.00	20.00	40
270/SW	30.00	20.00	50
3995/SB	40.00	20.00	LT50
896/SB	40.00	20.00	55
3656/SB	50.00	20.00	60
1906/SW	120.00	20.00	60
417/SB	25.40	20.64	60
4200	21.00	21.00	45
2171/SB	40.00	21.00	40
332/SB	22.22 RAD CORNERS	22.22	50
732/SB	25.00	22.00	60
390/SW	25.40	22.20	60
410/SB	25.00	23.00	60
3477/SB	25.00	25.00	30
2392/SB	25.00	25.00	45
3873/SB	30.00	25.00	40
834/SB	30.00	25.00	60
2930/SB	30.00	25.00	60
1907/SW	40.00	25.00	30
4299/SB	45.00	25.00	50
1245/SB	65.00	25.00	60
1693/SW	83.00	25.00	.
875/SB	25.00 RAD CORNERS	25.00	60
144/SB	25.40	25.40	60
51/SB	34.92	25.40	60
3581/SB	30.00	28.00	30
2928/SB	30.00	28.00	60
611/SB	30.00	30.00	60
2624/SB	40.00	30.00	60
3116/SB	50.00	40.00	60
1814/SB	54.00	40.00	60
1215/SW	60.00	40.00	.
2937/SB	60.00	40.00	60