

Technical Data Sheet

Silicone Rubber Hose

Platinum Cured

Polyester Braid Reinforced




Material

Platinum Cured Silicone

Available Grades

70°shore A translucent from stock, other hardnesses and colours available on request

Temperature



Temperature range in air without pressure

General Information

The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For physiological status of coating please see detailed description.

Tolerance according ISO 1307, individual agreements possible. The burst pressure depends largely on the design of end connection for which Silex Silicones Ltd is not responsible.

Environmental Resistance

Silicone rubber products have an excellent resistance to

- ❖ Ozone
- ❖ Oxidation
- ❖ Ultraviolet light
- ❖ Corona discharge
- ❖ Cosmic radiation
- ❖ Ionising radiation
- ❖ Weathering in general

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

SILEX SILICONES LIMITED

Unit 10, Oakhanger Farm Business Park, Oakhanger, Hampshire, GU35 9JA, Tel 0044 1420 470 360, Fax 0044 472 802

E-Mail: info@silex.co.uk, Website: www.silex.co.uk, Registered in England No. 1951973

Directors: N J R Soudah, S J Fearn

Technical Data Sheet

Silicone Rubber Hose

Platinum Cured

Polyester Braid Reinforced



Availability Format

Available from stock in 10 different sizes as listed below within the mechanical properties section below

Typical Applications

Hygienic transfer of fluids under pressure in the food, pharmaceutical, medical and a wide range of other industries

Mechanical Properties

Property	Value
SILEX Article Number	BHPLATC3x2.5
Inner Diameter (mm)	3.0 ± 0.2
Wall thickness total (mm)	2.5 ± 0.2
Inner sleeve wall (mm)	1.5
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	60 bar

Property	Value
SILEX Article Number	BHPLATC5x3.2
Inner Diameter (mm)	5.0 ± 0.3
Wall thickness total (mm)	3.2 ± 0.3
Inner sleeve wall (mm)	1.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	40 bar

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

SILEX SILICONES LIMITED

Unit 10, Oakhanger Farm Business Park, Oakhanger, Hampshire, GU35 9JA, Tel 0044 1420 470 360, Fax 0044 472 802

E-Mail: info@silex.co.uk, Website: www.silex.co.uk, Registered in England No. 1951973

Directors: N J R Soudah, S J Fearn

Technical Data Sheet

Silicone Rubber Hose

Platinum Cured

Polyester Braid Reinforced



Property	Value
SILEX Article Number	BHPLATC6x2.95
Inner Diameter (mm)	6.0 ± 0.3
Wall thickness total (mm)	2.95 ± 0.3
Inner sleeve wall (mm)	1.75
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	40 bar

Property	Value
SILEX Article Number	BHPLATC6.35x3.2
Inner Diameter (mm)	6.35 ± 0.3
Wall thickness total (mm)	3.2 ± 0.3
Inner sleeve wall (mm)	2.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	40 bar

Property	Value
SILEX Article Number	BHPLATC8x3.2
Inner Diameter (mm)	8.0 ± 0.3
Wall thickness total (mm)	3.2 ± 0.3
Inner sleeve wall (mm)	2.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	40 bar

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

SILEX SILICONES LIMITED

Unit 10, Oakhanger Farm Business Park, Oakhanger, Hampshire, GU35 9JA, Tel 0044 1420 470 360, Fax 0044 472 802

E-Mail: info@silex.co.uk, Website: www.silex.co.uk, Registered in England No. 1951973

Directors: N J R Soudah, S J Fearn

Technical Data Sheet

Silicone Rubber Hose

Platinum Cured

Polyester Braid Reinforced



Property	Value
SILEX Article Number	BHPLATC9.5x3.2
Inner Diameter (mm)	9.5
Wall thickness total (mm)	3.2 ± 0.3
Inner sleeve wall (mm)	2.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	35 bar

Property	Value
SILEX Article Number	BHPLATC12.5x3.2
Inner Diameter (mm)	12.5 ± 0.3
Wall thickness total (mm)	3.2 ± 0.3
Inner sleeve wall (mm)	2.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	35 bar

Property	Value
SILEX Article Number	BHPLATC16x4.8
Inner Diameter (mm)	16.0 ± 0.3
Wall thickness total (mm)	4.8 ± 0.3
Inner sleeve wall (mm)	3.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	30 bar

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

SILEX SILICONES LIMITED

Unit 10, Oakhanger Farm Business Park, Oakhanger, Hampshire, GU35 9JA, Tel 0044 1420 470 360, Fax 0044 472 802

E-Mail: info@silex.co.uk, Website: www.silex.co.uk, Registered in England No. 1951973

Directors: N J R Soudah, S J Fearn

Technical Data Sheet

Silicone Rubber Hose

Platinum Cured

Polyester Braid Reinforced



Property	Value
SILEX Article Number	BHPLATC19x5.8
Inner Diameter (mm)	19.0 ± 0.4
Wall thickness total (mm)	5.8 ± 0.3
Inner sleeve wall (mm)	4.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	25 bar

Property	Value
SILEX Article Number	BHPLATC25x6
Inner Diameter (mm)	25.0 ± 0.4
Wall thickness total (mm)	6.0 ± 0.3
Inner sleeve wall (mm)	4.0
Colour	Translucent
Nominal hardness	70°shore A
Material number	Silicone (VMQ) A 80
Reinforcement	Polyester multifilament
Coating	Silicone (VMQ) A 60
Colour Material number	Please see detailed description
Burst pressure at rt, medium water**	15 bar

*Tolerances according to ISO 1307, individual requirements possible

**Burst pressure depends on connection type and condition of use for which Silex Silicones Ltd is not responsible

Physiological properties: material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

Accreditations

- ❖ FDA compliant
- ❖ BfR compliant
- ❖ USP Class VI compliant
- ❖ REACH compliant and RoHS compliant

Additional Information

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

SILEX SILICONES LIMITED

Unit 10, Oakhanger Farm Business Park, Oakhanger, Hampshire, GU35 9JA, Tel 0044 1420 470 360, Fax 0044 472 802

E-Mail: info@silex.co.uk, Website: www.silex.co.uk, Registered in England No. 1951973

Directors: N J R Soudah, S J Fearn