



SPECIALISTS IN SILICONE RUBBER PRODUCTS



Certificate No. 0372

September 2007

PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION

Pressure Hose inside/outside Silicone/nominal hardness	: 70° Shore A
Silex Article Number	: 60027273
Inner Diameter (mm)	: 3.0 ± 0.2
Wall thickness total (mm)	: 2.5 ± 0.2
Inner sleeve wall (mm)	: 1.5
Colour	: Translucent
Material number	: Silicone (VMQ) A 80
Reinforcement	: Polyester multifilament
Coating	: Silicone (VMQ) A 60
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 60 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 0NY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



Certificate No. 0372

PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60027274
Inner Diameter (mm)	: 5.0 ± 0.3
Wall thickness total (mm)	: 3.2 ± 0.3
Inner sleeve wall (mm)	: 1.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyester multifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 40 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 0NY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60027275
Inner Diameter (mm)	: 6.0 ± 0.3
Wall thickness total (mm)	: 2.95 ± 0.3
Inner sleeve wall (mm)	: 1.75
Colour	: Translucent
Material number	: Silicone (VMQ) A 80
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) A 60
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 40 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 ONY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



Certificate No. 0372

PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT


TECHNICAL INFORMATION

Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60067833
Inner Diameter (mm)	: 6.35 ± 0.3
Wall thickness total (mm)	: 3.2 ± 0.3
Inner sleeve wall (mm)	: 2.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour	: Please see detailed
Material number	description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 40 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited



SPECIALISTS IN SILICONE RUBBER PRODUCTS



PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION

Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60027276
Inner Diameter (mm)	: 8.0 ± 0.3
Wall thickness total (mm)	: 3.2 ± 0.3
Inner sleeve wall (mm)	: 2.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyester multifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 40 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 0NY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60027272
Inner Diameter (mm)	: 9.5
Wall thickness total (mm)	: 3.2 ± 0.3
Inner sleeve wall (mm)	: 2.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 35 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 0NY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



Certificate No. 0372

PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60026609
Inner Diameter (mm)	: 12.5 ± 0.3
Wall thickness total (mm)	: 3.2 ± 0.3
Inner sleeve wall (mm)	: 2.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 35 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends primarily on the choice of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 0NY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



Certificate No. 0372

PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60068712
Inner Diameter (mm)	: 16.0 ± 0.3
Wall thickness total (mm)	: 4.8 ± 0.3
Inner sleeve wall (mm)	: 3.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 30 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends primarily on the choice of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 ONY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION


Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60062210
Inner Diameter (mm)	: 19.0 ± 0.4
Wall thickness total (mm)	: 5.8 ± 0.3
Inner sleeve wall (mm)	: 4.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 25 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends primarily on the choice of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 ONY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk



SPECIALISTS IN SILICONE RUBBER PRODUCTS



PLATINUM CURED SILICONE PRESSUREHOSE WITH REINFORCEMENT

TECHNICAL INFORMATION

Pressure hose inside/outside silicone/nominal hardness	: 70° shore A
Silex Article Number	: 60028052
Inner Diameter (mm)	: 25.0 ± 0.4
Wall thickness total (mm)	: 6.0 ± 0.3
Inner sleeve wall (mm)	: 4.0
Colour	: Translucent
Material number	: Silicone (VMQ) 7901000
Reinforcement	: Polyestermultifilament
Coating	: Silicone (VMQ) 7901000
Colour Material number	: Please see detailed description
Temperature range in air without pressure	: - 40°c to + 160°c
Burst pressure at rt, medium water**	: 15 bar
Physiological properties:	The material of inner sleeve is according to Empfehlung XV BgVV, CFR 21, FDA 177.2600 and USP Class VI. For Physiological status of coating please see detailed description.

* Tolerance according ISO 1307, individual agreements possible

** The burst pressure depends in prime concern on the technology of connection for which Silex Limited is not responsible.

SILEX Limited

Unit 4 & 5, Broxhead Trading Estate, Lindford, Bordon, Hants, GU35 ONY
Telephone: + 44 (0) 1420 487130 / 487538 / 488042 Fax: + 44 (0) 1420 489274
e-mail: Sales: nicksoudah@hotmail.com Accounts: info@silex.co.uk Web Site: www.silex.co.uk